

NURSE CALL ACCESSORIES GUIDE



**Safety Systems
Distribution Ltd**



Safety Systems Distribution Ltd

For over 25 years, Safety Systems Distribution Ltd has worked across the UK and Ireland providing care and safety solutions to care homes, hospitals, charities and hospices.

We pride ourselves on utilising the latest technology from renowned specialist manufacturers to complement your nurse call system, enhancing the level of care that you provide.





Contents

Bed & Chair Exit Alarm.....	3
Pear Push Lead.....	5
Neck Pendant.....	5
Magnetic Reset Token.....	5
Ceiling Pull Cord.....	6
Wipe Clean Pull Cord String.....	6
Easy Grip Call Lead.....	6
Heavy-Duty Floor Pressure Mat.....	7
Pillow/Clothing Clip.....	9
Dual Adaptor.....	9
Extension Lead.....	9
Pillow Switch.....	9
Jack Socket Nuts.....	10
Anti-ligature Pull Cord String.....	10
Enuresis Bedwetting Alarm.....	10
Fall Sensor Watch.....	10
Alphanumeric Staff Pager.....	11
Tonic-Clonic Seizure Monitor.....	13
Press Pad Switch.....	15
Wireless PIR Sensor.....	16
Other Products.....	17
Maintenance Contracts.....	18

Bed & Chair Exit Alarms

Our bed and chair exit alarms are designed to provide immediate alerts when a client leaves their bed or chair in order to alert carers to possible fall risks.

They can work both as a stand-alone system or can be integrated with most nurse call systems using a connector lead.

The controller is supplied with a wall-mounting bracket and hooks to hang from the chair or bed frame.



Works with bed and chair sensor mats



Immediate or 2 second delay available



Magnetic clip raises an alarm when client moves away




Silent, soft or loud audio levels can be selected



Silent mode available when connected to call systems




Battery-powered with optional mains PSU





Choice of
bed or chair
sensor mat

Part no. SSD-CHAIRMAT
Size: 375 (L) × 180 (W) mm



Part no. SSD-BEDMAT
Size: 760 (L) × 390 (W) mm



Part no. SSD-FALLALARM

Perfect for use in toilets, the Fall Alarm Controller can be used stand-alone by clipping the provided tag to the client's clothing to determine when they move away.

Optional accessories



Mains PSU
Part no. SSD-PSU



Nurse Call Lead
Part no. SSD-LEAD



Double Adaptor
Part no. NP2DUAL

Part number	Description
SSD-BEDKIT	Fall Alarm Controller & Bed Sensor Mat
SSD-CHAIRKIT	Fall Alarm Controller & Chair Sensor Mat
SSD-BEDMAT	Bed Sensor Mat Only
SSD-CHAIRMAT	Chair Sensor Mat Only
SSD-FALLALARM	Fall Alarm Controller Only



Intercall Pear Push Leads

When a resident needs access to the call system while they are away from their call point, these attractively styled pear leads are the perfect solution.

2m Lead - Part No. NP2

4m Lead - Part No. NP4



Magnetic Reset Token

Designed to be carried by staff members so they can reset magnetic nurse call points or door monitor points, such as the Intercall L733.

Part no: MR1



Intercall TIR4 Neck Pendant

Infrared neck pendant for the Intercall nurse call system. Transmits to wall mounted call points with built-in infrared receivers (e.g. L722, L752, L753) or dedicated receivers mounted at high level.

Includes an anti-ligature neck lanyard.

Part no: TIR4



Intercall TIR4 Lanyard

Replacement anti-ligature neck cord for use with the TIR4 infrared pendant.

Part no: TIR4-CORD



Ceiling Pull Cord

Specifically developed to generate alarms from bathrooms, toilets and en-suites. The unit is ceiling mounted and features a 3m floor length cord terminated with two easy to pull handles. It also incorporates a reassurance indicator, which flashes to confirm a call has been generated.

Features a wipe clean, plastic pull cord string designed to help with infection control. Can be easily cleaned to remove bacteria and improve hygiene levels.

Can work either Normally Open or Normally Closed.

Part no: SSD-PC



Wipe Clean Pull Cord String

Replacement pull cord string and handles for use with ceiling mounted pull cords. Simply replace the standard fabric cord with this easy to clean plastic version.

Features a 3m length of wipe clean plastic cord and 2 plastic handles. Compatible with the majority of nurse call systems including Intercall, eZone, Quantec and TeleAlarm.

Part no: SSD-PCS



Easy Grip Pear Push Lead

Featuring a large, easy to grip handset these extra-large pear leads are perfect for residents with limited dexterity.

The built-in reassurance indicator confirms the call has gone through and the moulded jack plug prevents damage and improves lifespan.

Also includes a clip fastener to attach to clothing or bed sheets.

Compatible with most nurse call systems, please specify when ordering.

2m Lead - Part No. SSD-P2

4m Lead - Part No. SSD-P4

Heavy-Duty Floor Pressure Mat

Positioned alongside a bed or beside a doorway, our heavy-duty floor sensor mat ensures that staff are notified when a client attempts to gain access to a restricted location or has simply left their bed and is at risk of falling.

The extra-large size means a greater surface area is covered and helps to reduce the chances the client can step over it or otherwise avoid making contact.

The tri-fold mat is specially designed in such a way to facilitate shipping and storage and is compatible with multiple nurse call systems such as Intercall, TeleAlarm, eZone and Quantec.



Can be folded into 3 for easy storage



Extra-large size covers a larger surface area



Manufactured from tough and durable PVC



Features natural, non-slip properties



Water-resistant and can be wiped clean



Suitable for placing onto a wide variety of surfaces



Part no: SSD-PM2

Includes a 3.5m cord terminated with a moulded jack plug for greater durability.

Dimensions: 1200 (L) x 600 (W) mm
Weight: 2.2 Kg



When not in use, the mat can be folded to just a third of its original size without causing any damage; perfect for storage.



The floor mat is made from tough and durable PVC and features natural, non-slip properties with a wipe clean water-resistant surface.





Pillow / Clothing Clip

Replacement pillow clip for use with the Intercall and eZone range of pear leads.

Can be clipped onto clothing, pillows or bedsheets to ensure the pear lead is easily accessible by the client at all times.

Part no: NPCLIP

Extension Lead

Extend the range of your accessories with our nurse call extension lead.

One end plugs into the call point and the chosen accessory is plugged into the other, increasing the distance at which it can be used. Perfect for larger bedrooms or communal areas. Compatible with multiple nurse call systems.

3m Extension Lead - Part no: EXT3

6m Extension Lead - Part no: EXT6



Dual Adaptor

Allows for 2 items to be plugged into the nurse call system at once.

Plug the adaptor into the call point and connect both of your accessories to the sockets on the other end. Comes with a 2m lead.

Compatible with multiple nurse call systems including Intercall and Quantec.

Part no: NP2DUAL

Pillow Switch

Designed to be attached to a client's pillow, the soft activation switch can generate a call by gently pressing the cheek or head against the foam pad. Perfect for clients who are unable to use conventional call aids such as buttons and pendants.

Includes both Velcro and safety pin attachments for fixing to a pillow or wheelchair pad and features a removable and washable cover.

Activation area: 80mm

Activation force: 180g

Part no: PSWITCH





Jack Socket Nut

Replacement locking nut found on the front of nurse call points. Should one go missing, simply screw this onto the front of the call point to hold the jack socket in place. Available for the Intercall and Quantec nurse call systems.

Intercall - Part no: JACKNUT

Quantec - Part no: JACKNUT-QUANTEC



Enuresis Bedwetting Sensor

Detects the first signs of bedwetting and raises an alarm either locally in the room or via the nurse call system so that staff can respond.

As the wipe-clean sensor is installed underneath the sheet, there is no contact with the resident and nothing to disturb them while they sleep.

Part no: ENURESIS



Anti-ligature Pull Cord String

This smooth vinyl cord features punched holes every 15cm that break apart when pulled with a force greater than 13Kg \pm 1Kg, making it ideal for use in high-risk environments such as psychiatric hospitals.

Each cord is supplied as a ready-to-fit product, and includes a 3m length of anti-ligature ribbon and 2 easy-to-grip handles.

Part no: ANTILIG

Fall Sensor Watch

The fall sensor watch is the new generation of wrist-worn automatic fall detectors.

The enhanced reliability and the new design protects vulnerable people of any age. It can be used with care phones or can send a signal to the nurse call system, and will automatically call for help when a fall is detected or when the manual activation button is pressed.

Part no: FALLWATCH



Alphanumeric Staff Pager

Cost effective and easy-to-use, the EZ-2028 alphanumeric pager is perfect for use in hospitals, care homes and sheltered housing accommodation. It includes a number of versatile and indispensable features all wrapped in a robust, durable casing.

A wrap-around holster protects the LCD screen from wear and tear and a superior mechanical design protects the pager from impact damage.

The EZ-2028 also features a vibrate failsafe mode that automatically upgrades to audible alarm tones after a pre-set amount of time. It can also be zoned to individual wings or floors where required.



Part no: EZ-2028

The EZ-2028 alphanumeric pager is supplied with a protective case designed to be worn on the belt, a bungee cord with clothing clip and 1 x AAA battery.

Dimensions: 80.5 (L) x 54.5 (W) x 19.2 (H) mm



Portable, easy to use staff pager



Specially designed, durable casing



2 or 4 line alphanumeric display



Priority overrides for critical alerts



Over 2000 hours battery life depending on use



Multiple melodies to choose from

The EZ-2028 pager is the perfect solution to remove noise from nurse call systems. Program standard calls to vibrate only with an automatic audible escalation if they go unanswered. Emergency calls can sound immediately as default.

Replacement parts



Belt Holster



Bungee Cord



Battery Cover



Part number	Description
EZ-2028	Alphanumeric Staff Pager
EZ-2028-HOLS	Replacement Belt Holster
EZ-2028-BUNG	Replacement Bungee Cord
EZ-2028-COV	Replacement Battery Cover

Emfit Tonic-Clonic Seizure Monitor

The Emfit Tonic-Clonic Seizure Monitor is designed to detect seizures while the client is in bed and trigger a notification.

The system can detect even the slightest of movements, making it suitable for use by anyone - including young children and the elderly.

The seizure monitor consists of a film-like bed sensor and a control unit. Placed underneath the mattress, the sensor mat detects the movements of the person lying above it, including micromovements caused by breathing and heart beating. When the system detects a seizure, the control unit begins to alarm.



Control Unit

Dimensions: 127 (L) x 96 (W) x 34 (H) mm



Verified by the Feinberg School of Medicine



Bed exit function detects when a client leaves their bed



Adjustable sensitivity with no age or weight limits



Can be connected to nurse call systems and staff pagers



Quick and easy to set up with no engineer required



2-year return to base warranty for peace of mind

The Emfit Tonic-Clonic Seizure Monitor is available in the following configurations:

OPTION 1

Emfit Tonic-Clonic Basic

This system is used stand-alone and the alarm is raised locally in the client's room.



OPTION 2

Emfit Tonic-Clonic with Pager

This system sends an alarm to a pager worn on the carers' belts within a 50m range of the client.



OPTION 3


Emfit Tonic-Clonic for Nurse Call

This system connects to a call system in a care home, hospital or hospice so that the alarm is transmitted around the building.





Mat dimensions: 580 (L) x 430 (W) mm



Sensitive Under Mattress Sensor

The sensor mat is installed discreetly underneath the mattress. The user does not feel it and the contact-free setup increases its lifespan without the need for regular replacements.



Optional Bed Exit Alarm

The Emfit monitor also includes an optional bed exit function. Should a user leave their bed and not return within a pre-set amount of time, an alarm will be raised.

The sensor mat is installed underneath the mattress so the user does not see or feel it



Optional PSU:

Part number	Description
EM-1090/4060	Emfit Tonic-Clonic Basic
EM-TC-WP	Emfit Tonic-Clonic with Pager
EM-TC-NC	Emfit Tonic-Clonic with Nurse Call Lead
EMFITSV	Emfit Mains Power Supply



Ideal for clients with regular seizures or where battery use is impractical

Press Pad Switch

Press Pads are pressure-activated membrane switches designed for residents who struggle to exert force or manipulate objects in a way that prevents them from using conventional call aids.

Even the slightest touch, whether directly from above or at a shallow angle, will generate a call. This makes them ideal for residents who struggle to hold call leads or who find it difficult to press buttons.

Just 3mm thick, yet rigid and durable, the Press Pad can be positioned on a multitude of surfaces including the bedside table or mattress so it is close by at all times.



Requires very little force to generate a call



Designed to withstand rough usage



Perfect for clients who can't grip call leads and pendant



Compatible with multiple brands of nurse call

The Press Pad has an activation area of 110mm × 150mm (approx. 4" × 6") and is supplied with a 4m lead for connection to multiple brands of nurse call system.



Requires only
35g (1.2 oz)
of force to
generate a
call!

Part no: PRESSPAD

Pad activation area: 110mm × 150mm

Activation force: 35g

Pad thickness: 3mm

Cable length: 4m

Wireless PIR Sensor

The wireless PIR uses infrared detection technology to help carers reduce the risk of falls. This monitor can be mounted on a door or by the bedside to trigger an alert when a person breaks the infrared beam.

The device works by emitting a harmless infrared signal which alerts the caregiver when the beam is broken. The alert can be raised as a local alarm in the client's room or by connecting the PIR to the nurse call system so the alarm is transmitted around the building.

This simple-to-use monitor comes with a metal fixing bracket for easy mounting to the bed frame or door, a 2m nurse call connection cable and 1 x 9V battery. Optional mains PSU also available.



Wireless system can be installed anywhere



Perfect for clients unable to use traditional sensor mats



Can be fixed to the bed using the included bracket



Can also be connected to the nurse call system

Wireless PIR monitor are typically used in care homes and medical facilities to alert a caregiver when a client attempts to leave their bed and is at risk of falling or when they pass into a restricted area, such as a client leaving their bedroom and potentially wandering away.



The mounting bracket allows the PIR to be fixed to the bed or door frame to monitor any movement.



The PIR features a low battery indicator and comes with two different alarm tones.



Can be quickly moved between rooms or locations depending on the specific client needs.

Part no: FS-PIR

Optional mains power supply: FS-PSU

The PIR is supplied with a nurse call connection lead so it can be connected to the call system.

Alternatively, it can be used stand-alone and the alarm will sound in the room.

Includes 1 x 9V battery.



Other products you may be interested in...



SAS Network II Pear Leads

Designed to plug into the SAS range of nurse call units. It comes equipped with a sturdy 2.5m lead with moulded jack plug and large orange press button.

2.5m Lead - Part No. NET206

2.5m Extension - Part No. NET-EXT



Courtney Thorne Economy+ Neck Pendant

This lightweight pendant comes with an anti-ligature neck lanyard ensuring wearer safety and is easily re-programmed, making it perfect for high turnover facilities.

Part No. 22089



Medicare Radio Pendant

With an easy-to-push button and built in reset, the neck pendant is ideal for vulnerable residents or those who enjoy mobility. Designed to provide an easy-to-operate tactile feel and features a luminescent label for easy location in the dark.

Part No. HTM6002



C-TEC Quantec / 800 Series Pear Leads

Made for use with the Quantec and 800 Series call systems. Allows users to remotely generate calls from armchairs or beds, minimising the need for them to stand up and move around.

2m Lead - Part No. NC805C/6

4m Lead - Part No. NC805C/14



Guardian Staff Attack Fob

Personal activation devices are worn by all members of staff that require protection, allowing them to call for assistance when required.

IR Only - Part No. STC5

IR/RF - Part No. STC8

Did you know we offer maintenance contracts?

Maintenance contract packages are available for nurse call systems, access control systems, fire alarms, emergency lighting and more. We also offer 24-hour emergency cover via our out-of-hours paging service.

We employ skilled, experienced personnel to carry out maintenance work with minimum disruption to an operational environment. If you are currently in need of someone to maintain your systems, or you are simply looking around to find a better deal, please contact us. Systems we cover include:

▪ **Nurse call** ▪ **Staff attack** ▪ **Fire Alarm** ▪ **Emergency Lighting** ▪ **Access control/door entry** ▪ **Disabled refuge**

Benefits of taking out a maintenance proposal with us:

- Inspections to fully certify each system
- Reduced callout and labour rates
- Reduced engineer response times
- Remote responses where applicable to negate callout charges
- Out-of-hours service
- 24/7 technical support
- Discounted replacement parts and accessories



E-mail us at support@safetysystemsdistribution.co.uk for a free quote!



**Safety Systems
Distribution Ltd**



Safety Systems Distribution Ltd
Unit 11B Hobson Industrial Estate
Burnopfield, Newcastle Upon Tyne
NE16 6EA
United Kingdom



01207 272 200



sales@safetyssystemsdistribution.co.uk



www.safetyssystemsdistribution.co.uk